



Strapping Band

DIC Ester Band Metal Seal Type

A high-durability strapping band made from polyester resin.

[Applications]

Pallet packaging / Liner packaging / Paperboard packaging / Lumber packaging / Sash packaging / Refractory brick packaging / Export packaging / Reinforced cardboard packaging / Others

Features of DIC Ester Band Metal Seal Type

- Offers excellent safety and workability.
- Low elongation provides excellent tension retention, preventing loosening and load collapse.
- Does not damage products even when applied directly.
- Lightweight (approximately one-sixth the weight of steel strapping) and convenient to carry.
- Helps reduce costs.
- Excellent resistance to weather, chemicals, impact, and water, with minimal effect from temperature changes.

Product Specifications of DIC Ester Band Metal Seal Type

■ No. Type for Metal Seal Fastening

Product Name	Width (mm)	Length (m)	Tensile Strength (N/kgf)	Elongation (%)	Inner Diameter (Ø)	Packaging (rolls)
No.250	15.8	1400	2450/250	15	200	2
No.255	15.8	1100	3140/320	15	200	2
No.256	15.8	900	3720/380	15	200	2
No.300	18.8	1100	2940/300	15	200	2
No.305	18.8	900	3720/380	15	200	2
No.306	18.8	700	4410/450	15	200	2

■ SV Type for Metal Seal Fastening (24% Recycled PET Used)

Product Name	Width (mm)	Length (m)	Tensile Strength (N/kgf)	Elongation (%)	Inner Diameter (Ø)	Packaging (rolls)
SV164	15.8	1400	2450/250	15	200	2
SV165	15.8	1100	3140/320	15	200	2
SV166	15.8	900	3720/380	15	200	2
SV194	18.8	1100	2940/300	15	200	2
SV195	18.8	900	3720/380	15	200	2
SV196	18.8	700	4410/450	15	200	2

[Strapping Equipment] [Tensioners, Case Sealers, and Metal Seals](#)

